



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

JOK1552

Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCES

Project Name: MW

Fred Hauck
20104 NYS Route 3
Watertown, NY 13601

Project / PO Number: N/A
Received: 11/20/2020
Reported: 12/14/2020

Analytical Testing Parameters

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 120, Drinking Water, JOK1552-01, LS-Client, 11/16/2020 7:30.

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Table with 9 columns: Metals Total by ICPMS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.0043.

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 73, Drinking Water, JOK1552-02, LS-Client, 11/16/2020 7:23.

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Table with 9 columns: Metals Total by ICPMS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.0015.

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 69, Drinking Water, JOK1552-03, LS-Client, 11/16/2020 7:21.

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Table with 9 columns: Metals Total by ICPMS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.0034.

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 68, Drinking Water, JOK1552-04, LS-Client, 11/16/2020 7:16.

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Table with 9 columns: Metals Total by ICPMS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.0012.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 39	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-05		<b>Collection Date:</b> 11/16/2020 6:48

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1535	LLW

<b>Client Sample ID:</b> 117	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-06		<b>Collection Date:</b> 11/16/2020 7:28

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0081	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1537	LLW

<b>Client Sample ID:</b> 75	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-07		<b>Collection Date:</b> 11/16/2020 7:25

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0069	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1543	LLW

<b>Client Sample ID:</b> 71	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-08		<b>Collection Date:</b> 11/16/2020 7:23

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0023	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1545	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 74	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-09		<b>Collection Date:</b> 11/16/2020 7:24

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0015	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1547	LLW

<b>Client Sample ID:</b> 119	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-10		<b>Collection Date:</b> 11/16/2020 7:29

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0116	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1548	LLW

<b>Client Sample ID:</b> 63	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-11		<b>Collection Date:</b> 11/16/2020 7:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0017	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1550	LLW

<b>Client Sample ID:</b> 64	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-12		<b>Collection Date:</b> 11/16/2020 7:13

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0029	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1554	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 72	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-13		<b>Collection Date:</b> 11/16/2020 7:24

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0025	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1556	LLW

<b>Client Sample ID:</b> 116	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-14		<b>Collection Date:</b> 11/16/2020 7:18

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0029	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1557	LLW

<b>Client Sample ID:</b> 70	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-15		<b>Collection Date:</b> 11/16/2020 7:22

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0027	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1559	LLW

<b>Client Sample ID:</b> 65	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-16		<b>Collection Date:</b> 11/16/2020 7:14

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0024	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1605	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 60	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-17		<b>Collection Date:</b> 11/16/2020 7:29

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1607	LLW

<b>Client Sample ID:</b> 24	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-18		<b>Collection Date:</b> 11/16/2020 7:28

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1608	LLW

<b>Client Sample ID:</b> 76	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-19		<b>Collection Date:</b> 11/16/2020 7:26

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0062	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1610	LLW

<b>Client Sample ID:</b> 118	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-20		<b>Collection Date:</b> 11/16/2020 7:29

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0034	0.015 AL	0.0010	mg/L		12/08/20 1607	12/09/20 1612	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 54	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-21		<b>Collection Date:</b> 11/16/2020 7:03

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0018	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1621	LLW

<b>Client Sample ID:</b> 111	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-22		<b>Collection Date:</b> 11/16/2020 7:04

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0027	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1627	LLW

<b>Client Sample ID:</b> 62	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-23		<b>Collection Date:</b> 11/16/2020 7:14

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0038	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1629	LLW

<b>Client Sample ID:</b> 115	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-24		<b>Collection Date:</b> 11/16/2020 7:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0020	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1630	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 61	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-25		<b>Collection Date:</b> 11/16/2020 7:13

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0013	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1632	LLW

<b>Client Sample ID:</b> 59	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-26		<b>Collection Date:</b> 11/16/2020 7:09

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0021	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1634	LLW

<b>Client Sample ID:</b> 114	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-27		<b>Collection Date:</b> 11/16/2020 7:10

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0098	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1640	LLW

<b>Client Sample ID:</b> 57	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-28		<b>Collection Date:</b> 11/16/2020 7:07

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0020	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1641	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 110	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-29		<b>Collection Date:</b> 11/16/2020 7:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0022	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1643	LLW

<b>Client Sample ID:</b> 14	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-30		<b>Collection Date:</b> 11/16/2020 7:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1645	LLW

<b>Client Sample ID:</b> 108	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-31		<b>Collection Date:</b> 11/16/2020 6:58

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0058	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1647	LLW

<b>Client Sample ID:</b> 52	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-32		<b>Collection Date:</b> 11/16/2020 6:52

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0058	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1651	LLW





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 106	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-33		<b>Collection Date:</b> 11/16/2020 6:56

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0017	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1652	LLW

<b>Client Sample ID:</b> 55	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-34		<b>Collection Date:</b> 11/16/2020 7:04

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0033	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1654	LLW

<b>Client Sample ID:</b> 56	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-35		<b>Collection Date:</b> 11/16/2020 6:59

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0047	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1656	LLW

<b>Client Sample ID:</b> 113	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-36		<b>Collection Date:</b> 11/16/2020 7:06

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0014	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1702	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 53	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-37		<b>Collection Date:</b> 11/16/2020 7:02

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0011	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1703	LLW

<b>Client Sample ID:</b> 109	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-38		<b>Collection Date:</b> 11/16/2020 6:58

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0034	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1705	LLW

<b>Client Sample ID:</b> 104	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-39		<b>Collection Date:</b> 11/16/2020 6:54

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0012	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1707	LLW

<b>Client Sample ID:</b> 105	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-40		<b>Collection Date:</b> 11/16/2020 6:55

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0023	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1709	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 66	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-41		<b>Collection Date:</b> 11/16/2020 7:11

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0020	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1718	LLW

<b>Client Sample ID:</b> 112	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-42		<b>Collection Date:</b> 11/16/2020 7:05

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0151	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1724	LLW

<b>Client Sample ID:</b> 107	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-43		<b>Collection Date:</b> 11/16/2020 6:57

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0017	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1725	LLW

<b>Client Sample ID:</b> 58	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-44		<b>Collection Date:</b> 11/16/2020 7:05

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0024	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1727	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 19	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-45		<b>Collection Date:</b> 11/16/2020 7:01

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1729	LLW

<b>Client Sample ID:</b> 67	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-46		<b>Collection Date:</b> 11/16/2020 7:12

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0021	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1731	LLW

<b>Client Sample ID:</b> 40	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-47		<b>Collection Date:</b> 11/16/2020 6:41

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0032	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1736	LLW

<b>Client Sample ID:</b> 41	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-48		<b>Collection Date:</b> 11/16/2020 6:42

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0015	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1738	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 44	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-49		<b>Collection Date:</b> 11/16/2020 6:44

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0015	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1740	LLW

<b>Client Sample ID:</b> 43	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-50		<b>Collection Date:</b> 11/16/2020 6:43

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0027	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1742	LLW

<b>Client Sample ID:</b> 94	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-51		<b>Collection Date:</b> 11/16/2020 6:31

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1744	LLW

<b>Client Sample ID:</b> 101	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-52		<b>Collection Date:</b> 11/16/2020 6:47

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0021	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1747	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 102	<b>Collected By:</b> LS-Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 11/16/2020 6:48
<b>Lab Sample ID:</b> J0K1552-53	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1749	LLW

<b>Client Sample ID:</b> 103	<b>Collected By:</b> LS-Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 11/16/2020 6:49
<b>Lab Sample ID:</b> J0K1552-54	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0017	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1751	LLW

<b>Client Sample ID:</b> 45	<b>Collected By:</b> LS-Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 11/16/2020 6:45
<b>Lab Sample ID:</b> J0K1552-55	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0016	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1753	LLW

<b>Client Sample ID:</b> 99	<b>Collected By:</b> LS-Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 11/16/2020 6:45
<b>Lab Sample ID:</b> J0K1552-56	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0076	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1758	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 100	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-57		<b>Collection Date:</b> 11/16/2020 6:47

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0020	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1800	LLW

<b>Client Sample ID:</b> 95	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-58		<b>Collection Date:</b> 11/16/2020 6:37

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0055	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1802	LLW

<b>Client Sample ID:</b> 42	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-59		<b>Collection Date:</b> 11/16/2020 6:43

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0022	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1804	LLW

<b>Client Sample ID:</b> 34	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-60		<b>Collection Date:</b> 11/16/2020 6:41

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0020	0.015 AL	0.0010	mg/L		12/08/20 1608	12/09/20 1806	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 48	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-61		<b>Collection Date:</b> 11/16/2020 6:51

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0052	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1815	LLW

<b>Client Sample ID:</b> 47	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-62		<b>Collection Date:</b> 11/16/2020 6:50

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0024	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1821	LLW

<b>Client Sample ID:</b> 51	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-63		<b>Collection Date:</b> 11/16/2020 6:54

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0015	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1822	LLW

<b>Client Sample ID:</b> 98	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-64		<b>Collection Date:</b> 11/16/2020 6:38

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0097	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1824	LLW





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 38	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-65		<b>Collection Date:</b> 11/16/2020 6:39

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0044	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1826	LLW

<b>Client Sample ID:</b> 96	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-66		<b>Collection Date:</b> 11/16/2020 6:38

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0013	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1828	LLW

<b>Client Sample ID:</b> 97	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-67		<b>Collection Date:</b> 11/16/2020 6:39

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1833	LLW

<b>Client Sample ID:</b> 46	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-68		<b>Collection Date:</b> 11/16/2020 6:46

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1835	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 50	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-69		<b>Collection Date:</b> 11/16/2020 6:53

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0116	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1837	LLW

<b>Client Sample ID:</b> 49	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-70		<b>Collection Date:</b> 11/16/2020 6:52

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0012	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1839	LLW

<b>Client Sample ID:</b> 80	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-71		<b>Collection Date:</b> 11/16/2020 6:08

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0014	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1841	LLW

<b>Client Sample ID:</b> 81	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-72		<b>Collection Date:</b> 11/16/2020 6:17

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0042	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1844	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 17	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-73		<b>Collection Date:</b> 11/16/2020 6:05

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0086	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1846	LLW

<b>Client Sample ID:</b> 11	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-74		<b>Collection Date:</b> 11/16/2020 5:56

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1848	LLW

<b>Client Sample ID:</b> 9	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-75		<b>Collection Date:</b> 11/16/2020 5:59

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0017	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1850	LLW

<b>Client Sample ID:</b> 2	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-76		<b>Collection Date:</b> 11/16/2020 5:51

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0035	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1855	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 1	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-77		<b>Collection Date:</b> 11/16/2020 5:50

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0070	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1857	LLW

<b>Client Sample ID:</b> 3	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-78		<b>Collection Date:</b> 11/16/2020 5:52

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0018	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1859	LLW

<b>Client Sample ID:</b> 6	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-79		<b>Collection Date:</b> 11/16/2020 5:55

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0032	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1901	LLW

<b>Client Sample ID:</b> 5	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-80		<b>Collection Date:</b> 11/16/2020 5:54

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0031	0.015 AL	0.0010	mg/L		12/08/20 1609	12/09/20 1903	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 8	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-81		<b>Collection Date:</b> 11/16/2020 5:58

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0026	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1912	LLW

<b>Client Sample ID:</b> 13	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-82		<b>Collection Date:</b> 11/16/2020 6:01

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0100	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1917	LLW

<b>Client Sample ID:</b> 78	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-83		<b>Collection Date:</b> 11/16/2020 5:55

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0046	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1919	LLW

<b>Client Sample ID:</b> 20	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-84		<b>Collection Date:</b> 11/16/2020 6:14

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0057	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1921	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 77	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-85		<b>Collection Date:</b> 11/16/2020 5:54

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0144	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1923	LLW

<b>Client Sample ID:</b> 4	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-86		<b>Collection Date:</b> 11/16/2020 5:53

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0027	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1925	LLW

<b>Client Sample ID:</b> 33	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-87		<b>Collection Date:</b> 11/16/2020 6:33

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0017	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1930	LLW

<b>Client Sample ID:</b> 86	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-88		<b>Collection Date:</b> 11/16/2020 6:26

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1932	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 79	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-89		<b>Collection Date:</b> 11/16/2020 6:07

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0060	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1934	LLW

<b>Client Sample ID:</b> 22	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-90		<b>Collection Date:</b> 11/16/2020 6:16

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0086	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1936	LLW

<b>Client Sample ID:</b> 15	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-91		<b>Collection Date:</b> 11/16/2020 6:09

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<b>0.0561</b>	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1938	LLW

<b>Client Sample ID:</b> 16	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-92		<b>Collection Date:</b> 11/16/2020 6:10

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0108	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1941	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 21	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-93		<b>Collection Date:</b> 11/16/2020 6:15

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0040	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1943	LLW

<b>Client Sample ID:</b> 18	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-94		<b>Collection Date:</b> 11/16/2020 6:06

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0056	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1945	LLW

<b>Client Sample ID:</b> 10	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-95		<b>Collection Date:</b> 11/16/2020 6:00

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0018	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1947	LLW

<b>Client Sample ID:</b> 7	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-96		<b>Collection Date:</b> 11/16/2020 5:57

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0017	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1952	LLW





Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 82	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-97		<b>Collection Date:</b> 11/16/2020 6:17

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.107	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1954	LLW

<b>Client Sample ID:</b> 83	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-98		<b>Collection Date:</b> 11/16/2020 6:19

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0047	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1956	LLW

<b>Client Sample ID:</b> 91	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-99		<b>Collection Date:</b> 11/16/2020 6:38

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<0.0010	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 1958	LLW

<b>Client Sample ID:</b> 35	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AA		<b>Collection Date:</b> 11/16/2020 6:37

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0012	0.015 AL	0.0010	mg/L		12/08/20 1610	12/09/20 2000	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 34	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AB		<b>Collection Date:</b> 11/16/2020 6:35

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0058	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2009	LLW

<b>Client Sample ID:</b> 92	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AC		<b>Collection Date:</b> 11/16/2020 6:40

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0018	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2014	LLW

<b>Client Sample ID:</b> 90	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AD		<b>Collection Date:</b> 11/16/2020 6:36

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0077	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2016	LLW

<b>Client Sample ID:</b> 36	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AE		<b>Collection Date:</b> 11/16/2020 6:39

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0042	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2018	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 89	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AF		<b>Collection Date:</b> 11/16/2020 6:34

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0031	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2020	LLW

<b>Client Sample ID:</b> 93	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AG		<b>Collection Date:</b> 11/16/2020 6:42

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0070	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2022	LLW

<b>Client Sample ID:</b> 23	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AH		<b>Collection Date:</b> 11/16/2020 6:18

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0175	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2027	LLW

<b>Client Sample ID:</b> 26	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AI		<b>Collection Date:</b> 11/16/2020 6:23

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0016	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2029	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 25	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AJ		<b>Collection Date:</b> 11/16/2020 6:21

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0016	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2031	LLW

<b>Client Sample ID:</b> 28	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AK		<b>Collection Date:</b> 11/16/2020 6:24

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0031	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2033	LLW

<b>Client Sample ID:</b> 84	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AL		<b>Collection Date:</b> 11/16/2020 6:22

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0014	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2034	LLW

<b>Client Sample ID:</b> 88	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AM		<b>Collection Date:</b> 11/16/2020 6:32

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0013	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2038	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 27	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AN		<b>Collection Date:</b> 11/16/2020 6:23

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0042	0.015 AL	0.0010	mg/L		12/09/20 1320	12/10/20 1127	LLW

<b>Client Sample ID:</b> 29	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AO		<b>Collection Date:</b> 11/16/2020 6:25

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0013	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2040	LLW

<b>Client Sample ID:</b> 31	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AP		<b>Collection Date:</b> 11/16/2020 6:29

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0066	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2042	LLW

<b>Client Sample ID:</b> 87	<b>Sample Matrix:</b> Drinking Water	<b>Collected By:</b> LS-Client
<b>Lab Sample ID:</b> J0K1552-AQ		<b>Collection Date:</b> 11/16/2020 6:30

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0070	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2047	LLW



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

<b>Client Sample ID:</b> 36	<b>Collected By:</b> LS-Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 11/16/2020 6:26
<b>Lab Sample ID:</b> J0K1552-AR	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0011	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2049	LLW

<b>Client Sample ID:</b> 32	<b>Collected By:</b> LS-Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 11/16/2020 6:31
<b>Lab Sample ID:</b> J0K1552-AS	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	<b>0.0246</b>	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2051	LLW

<b>Client Sample ID:</b> 85	<b>Collected By:</b> LS-Client
<b>Sample Matrix:</b> Drinking Water	<b>Collection Date:</b> 11/16/2020 6:24
<b>Lab Sample ID:</b> J0K1552-AT	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
<b>Method: EPA 200.8, Rv. 5.4 (1994)</b>								
Lead	0.0010	0.015 AL	0.0010	mg/L		12/09/20 1331	12/09/20 2053	LLW

Results in **bold** have exceeded a limit defined for this project. Limits are provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.

Definitions

- AL:** US EPA Action Level
- mg/L:** Milligrams per Liter
- RL:** Reporting Limit

Project Requested Certification(s)

Microbac Laboratories, Inc. - Dayville 11549	New York State Department of Health
Microbac Laboratories, Inc., New York Division NY Lab ID No.: 10795	New York State Department of Health



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J0K1552

**Report Comments**

*Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.*

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. **The services were provided under and subject to Microbac's standard terms and conditions which can be located and reviewed at <https://www.microbac.com/standard-terms-conditions>.***

**Reviewed and Approved By:**

A handwritten signature in black ink that reads "Jennifer M. Walker".

Jennifer Walker

Operations Manager

Reported: 12/14/2020 13:51

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

3621 Buck Drive  
Corland NY 13045  
Phone: (607) 753-3403 Fax: (607) 753-3415  
NY #10795, EPA #NY000835

Samples must be returned on ice  
MNY Workorder #

Client Information

Name: Jeff/Lew Boccs  
Address: 20104 NYS Route 3  
Contact: Health/Safety Dept.  
Phone: 315-779-7000  
Project: Lead Testing  
Quote ID: PO#

Billing/Invoice:

Date Req.: 2-5 5-7 7-10  
Rush TAT Bus. Days: Carbon Copy: Yes  
Email Results: Yes  
Fax Results: Yes

Sample Information

Description/Location: rfilley@boces.com, fhauck@boces.com, lshaw@boces.com

Analysis Requested

Number of Containers for Analysis Requested: 1

Receiving Info (Lab Use Only)

Ice: YES NO  
Cooler: YES NO  
Sample Temp: YES NO  
Cooler Seal: YES NO  
Pickup: YES NO  
Dropoff: C W  
Accepted? YES NO

Container Material

Container Size (in MI)

Preservative

Comments/Field Data

Total Lead (EPA 200.8)

Plastic

250 ml

IDNO3

1

Matrix Type

DW

Date

Time

11/16/20

7:30

7:23

7:21

7:16

6:48

7:28

7:25

7:23

7:24

7:29

7:15

7:13

7:24

7:18

7:22

7:14

7:29

7:28

7:26

7:29

119

118



Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCE  
PM: Shannon Weeks

Date/Time

11/19 10am

11-20 12:30

Comments

IOF 6

Print Name and Company

Linda Shaw  
Microbac

Sampled:

Received:

Received:

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another qualified laboratory. We assume no responsibility for the accuracy of the results of the analysis performed by a subcontractor and are in agreement with this action.



3821 Buck Drive  
 Covland NY 13045  
 Phone: (607) 53-3403 Fax: (607) 53-3415  
 NY #10795, EPA #NY00035

# Microbac Laboratories, Inc.

## CHAIN OF CUSTODY

Samples must be returned on ice  
 MNY Workorder #

<b>Client Information</b> Name: Jeff/Lew Bocces Address: 20104 NYS Route 3 Contact: Health/Safety Dept. Phone: 315-779-7000 Project: Lead Testing Quote ID: PO# Rush TAT Bus. Days: 2-5 5-7 7-10 Carbon Copy: Yes Email Results: Yes Fax Results: Yes		<b>Billing/Invoice:</b> Date Req:		<b>Analysis Requested</b> Total Lead (EPA 200.8) Plastic 250 ml FINO3 1		<b>Receiving Info (Lab Use Only)</b> Ice: YES NO Cooler: YES NO Sample Temp: YES NO Cooler Seal: YES NO Pickup: YES NO Dropoff: C W Accepted? YES NO Container Material Container Size (in MI) Preservative Comments/Field Data	
<b>Sample Information</b>							
#	Description/Location	Date	Time	Matrix	Type	Number of Containers for Analysis Requested	Comments
1	54	11/16/20	7:03	DW			
2	111		7:04				
3	62		7:14				
4	115		7:15				
5	61		7:13				
6	59		7:09				
7	114		7:10				
8	57		7:07				
9	116		7:00				
10	14		7:00				
11	108		6:58				
12	52		6:52				
13	106		6:56				
14	55		7:04				
15	56		6:59				
16	113		7:06				
17	53		7:02				
18	109		6:58				
19	104		6:54				
20	105		6:55				

Print Name and Company  
 Linda Shaw  
 Microbac  
 Date/Time: 11/19 10:00 am  
 11/20 1230  
 2 of 6  
 Comments

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. The receiving laboratory's accreditation number and address are listed on the subcontract and are in agreement with this action.



# Microbac Laboratories, Inc. CHAIN OF CUSTODY

Samples must be returned on ice  
MNY Workorder #

3821 Buck Drive  
Corland NY 13045  
Phone: (607)753-3403 Fax: (607)753-3415  
NY #10795, EPA #NY00935

MW

Client Information		Billing/Invoice:	
Name:	Jeff Lew Bocus		
Address:	20104 NYS Route 3		
Contact:	Health/Safety Dept.		
Phone:	315-779-7000		
Project:	Lead Testing	PO#:	
Quote ID:		Date Req.:	
Rush TAT Bus. Days:	2-5 5-7 7-10		
Carbon Copy:	Yes		
Email Results:	Yes		
Fax Results:	Yes		

  

Sample Information		Analysis Requested	
Description/Location	Date	Time	Matrix Type
1 48	11/16/20	6:51	DW
2 47		6:50	
3 51		6:54	
4 98		6:38	
5 38		6:39	
6 96		6:38	
7 97		6:39	
8 46		6:46	
9 50		6:53	
10 49		6:52	
11 86		6:08	
12 81		6:17	
13 17		6:05	
14 11		5:56	
15 9		5:59	
16 2		5:51	
17 1		5:50	
18 3		5:52	
19 6		5:55	
20 5		5:54	

  

Receiving Info (Lab Use Only)		Comments/Field Data	
Ice:	YES NO		
Cooler:	YES NO		
Sample Temp:	YES NO		
Cooler Seal:	YES NO		
Pickup:	YES NO		
Dropoff:	C W		
Accepted?	YES NO		
Container Material			
Container Size (in MI)			
Preservative			

  

Number of Containers for Analysis Requested	Date/Time	Comments
1	11/19 am 11/00 12:30	4 of 6

  

Print Name and Company	Linda Shaw Microbac
Sampled:	
Received:	
Received:	

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case you will substitute the available testing methods. If you are notified of this substitution, you must agree to the substitution in writing. If you do not agree to the substitution, you must provide a written request for a different method to be used. If you do not provide a written request, you are deemed to have agreed to the substitution. This action is taken for your protection and the protection of the environment.

# Microbac Laboratories, Inc. CHAIN OF CUSTODY

3821 Buck Drive  
Cortland NY 13045  
Phone: (607)753-3403 Fax: (607)753-3415  
NY #10795, EPA #NY00895

Samples must be returned on ice  
MNY Workorder #

mw

<b>Client Information</b> Name: Jeff/Lew Bocces Address: 20104 NYS Route 3 Contact: Health/Safety Dept. Phone: 315-779-7000 Project: Lead Testing Quote ID: PO# Rush TAT Bus. Days: 2-5 5-7 7-10 Carbon Copy: Yes Email Results: Yes Fax Results: Yes		<b>Billing/Invoice:</b> Date Recd:		<b>Receiving Info (Lab Use Only)</b> Ice: YES NO Cooler: YES NO Sample Temp: YES NO Cooler Seal: YES NO Pickup: YES NO Dropoff: C W Accepted? YES NO Container Material Container Size (in Ml) Preservative Comments/Field Data	
Total Lead (EPA 200.8) Plastic 250 ml HNO3		Analysis Requested		Number of Containers for Analysis Requested	
<b>Sample Information</b>					
#	Description/Location	Date	Time	Matrix	Type
1		11/16/20	5:58		DW
2			6:01		
3			5:55		
4			6:14		
5			5:54		
6			5:53		
7			6:33		
8			6:26		
9			6:07		
10			6:16		
11			6:09		
12			6:10		
13			6:15		
14			6:06		
15			6:00		
16			5:57		
17			6:17		
18			6:19		
19			6:38		
20			6:37		

Date/Time  
11/19 10:00 am  
11/20 12:30  
Comments  
5 of 6

Print Name and Company  
Shaw  
M. Bocces

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. Resubmission of the instrument will be at the discretion of the client. MNY of the instrument to subcontract and are in agreement with this action.

# Microbac Laboratories, Inc.

## CHAIN OF CUSTODY

3821 Buck Drive  
 Corland NY 13045  
 Phone: (607) 753-3403 Fax: (607) 753-3415  
 NY #10795, EPA #NY00895

Samples must be returned on ice  
 MNY Workorder #

M W

Client Information		Billing/Invoice:	
Name: Jeff/Lew Bocces			
Address: 20104 NYS Route 3			
Contact: Health/Safety Dept.			
Phone: 315-779-7000			
Project: Lead Testing			
Quote ID: PO#			
Rush TAT Bus. Days: 2-5 5-7 7-10		Date Req:	
Carbon Copy: Yes			
Email Results: Yes		rifley@boces.com, fhauck@boces.com, lshaw@boces.com	
Fax Results: Yes			
Sample Information			
#	Description/Location	Date	Time
1	34	11/10/20	6:35
2	92		6:40
3	90		6:36
4	36		6:39
5	89		6:34
6	93		6:42
7	23		6:18
8	20		6:23
9	25		6:21
10	28		6:24
11	84		6:22
12	88		6:32
13	27		6:23
14	29		6:25
15	31		6:29
16	87		6:30
17	36		6:26
18	32		6:31
19	85		6:24
20			

  

Receiving Info (Lab Use Only)	
Ice: YES NO	
Cooler: YES NO	
Sample Temp: YES NO	
Cooler Seal: YES NO	
Pickup: YES NO	
Dropoff: C W	
Accepted? YES NO	
Container Material	
Container Size (in Ml)	
Preservative	
Comment/Field Data	

  

Analysis Requested	
Total Lead (EPA 200.8)	
Plastic	
250 ml	
HNO3	
Number of Containers for Analysis Requested	1
Date/Time	11/19 10:00 am
Comment	6 of 6

Print Name and Company  
 Linda Shaw  
 Microbac

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case you will subcontract the analysis to another accredited laboratory. The subcontracted laboratory will be notified by MNY of the intent to subcontract and you agree to this action.